



To Whom It May Concern:

Roppe flooring is not considered a sanitary floor, as it does not have the ability to deflect or repel germs from its standard compound. It can however be used in an installation requiring these features if it is properly sealed after installation and maintained per manufacturer's recommended cleaning instructions, including the use of a disinfectant to damp mop the floor as needed.

Please feel free to contact the Roppe Customer Service Department if you have any further questions.

Sincerely,

ROPPE CORPORATION

Donald P. Miller President/CEO



To Whom It May Concern:

Given below are the test results for stain and chemical resistance and UV stability carried out on Roppe Solid Vinyl Tile.

Stain and chemical resistance (ASTM F-925, 1 hr. Exposure)

	Rating
Coffee	0
Tea	0
Ketchup	0
Mustard	0
Soy sauce	0
Wine vinegar	0
White vinegar	0
Olive oil	0
Bleach	0
Ammonia	0
Laundry detergent, 10%	0
Nail polish	1
Nail polish remover (acetone)	2
Motor oil (10W40)	0
Acetic acid, 100%	0
Hydrochloric acid, 20%	0
Nitric acid, 70%	1
Sulfuric acid, 15%	0
Sulfuric acid, 96%	1
Sodium hydroxide, 50%	0
Ammonium hydroxide, 30%	0
Acetone	2
Isopropyl alcohol	0
Paint thinner	0
Ethyl alcohol (40%)	0
Gasoline	0
Methylene chloride	2
Potassium permanganate, 10%	0
Betadine solution, 10%	0

0 - No effect, 1 - Slight stain, 2 - Surface softening

Cigarette burn resistance: May cause discoloration and surface damage. Recommend darker colors to reduce defect appearance.

Maintenance: Easily maintained. A complete maintenance guide is available through Roppe Technical Service.