

Roppe Raised Design Rubber Floor Tile



Product Data
Section 9
Resilient Flooring



Architects' Material Specifications

RAISED DESIGN RUBBER FLOOR TILE

All floors shown in the finish schedule or listed in this specification for heavy traffic areas shall be Roppe's _____ (insert design name) RUBBER TILE, manufactured by Roppe Corporation, Fostoria, Ohio. The tile shall be homogeneously constructed of first-quality resilient rubber compound, and shall conform to ASTM F-1344, Class 1. The tile shall be 19-11/16" x 19-11/16" (50cm x 50cm) size, 1/8" (3.175mm) gauge and in the color _____ (insert color) selected.

DIMENSIONS RUBBER TILE

All floors shown in the finish schedule or listed in this specification for heavy traffic areas shall be Roppe's _____ (insert design name) RUBBER TILE, manufactured by Roppe Corporation, Fostoria, Ohio. The tile shall be homogeneously constructed of first-quality resilient rubber compound, and shall conform to ASTM F-1344, Class 1. The tile shall be 19-11/16" x 19-11/16" (50cm x 50cm) size, 1/8" (3.175mm) gauge size, and in the color _____ (insert color) selected.

LUG-BACK RUBBER FLOOR TILE

All floors shown in the finish schedule or listed in this specification for heavy traffic areas shall be Roppe's LUG-BACK RUBBER TILE, manufactured by Roppe Corporation, Fostoria, Ohio. The tile shall be homogeneously constructed of first-quality resilient rubber compound, and shall conform to ASTM F-1344, Class 1. The tile shall be 19-11/16" x 19-11/16" (50cm x 50cm) size, 13/64" (5.16mm) gauge size, and in the color _____ (insert color) selected.

WARNING RUBBER FLOOR TILE

All floors shown in the finish schedule or listed in this specification for heavy traffic areas shall be Roppe's WARNING RUBBER TILE, manufactured by Roppe Corporation, Fostoria, Ohio. The tile shall be homogeneously constructed of first-quality resilient rubber compound, and shall conform to ASTM F-1344, Class 1. The tile shall be 24" x 24" (609.6mm x 609.6mm) size, 1/8" (3.175 mm) gauge size, and in the color _____ (insert color) selected.

7-09

