Tuflex® Spartus Multipurpose Sports Flooring by Roppe Corporation

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23598

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Tuflex® Spartus Multipurpose Sports Flooring is a rubber flooring product designed for interior sports and commercial applications. Because of its durability and resilience, Tuflex Spartus is used in many professional sports facilities. The manufacturing process for Tuflex Spartus consists of a unique, permanent vulcanization system that ensures the face coat and base layer will not separate, and we guarantee it for the life of the flooring. Tuflex Spartus' smooth surface makes it easier to clean and maintain than many other recycled rubber flooring products. Tuflex Spartus has an appealing visual appearance as well as sound and shock absorption and softness under foot. The Tuflex Spartus Multipurpose Sports Flooring Tile formulation is screened according to current authoritative lists and does not contain any chemicals contained in the Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list, or substances restricted under REACH.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm ⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities

Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ○ Yes ○ No

% weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

VIRGIN RAW MATERIALS [KAOLIN CLAY LT-UNK | CAN STYRENE **BUTADIENE RUBBER (SBR) LT-UNK NATURAL RUBBER (PRIMARY** CASRN IS 9006-04-6) LT-UNK | RES EPOXIDIZED SOYBEAN OIL LT-P1 ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | RES | AQU | MUL | END UNDISCLOSED LT-P1 | AQU | SKI | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | AQU | SKI | EYE | REP | MUL UNDISCLOSED LT-P1 UNDISCLOSED NoGS UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | AQU | SKI | MUL | END UNDISCLOSED BM-1 | PBT | MUL UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN] PRE-CONSUMER RECYCLED VULCANIZED RUBBER [KAOLIN CLAY LT-UNK | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK EPOXIDIZED SOYBEAN OIL LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | RES | AQU | MUL | END UNDISCLOSED LT-P1 | AQU | SKI | MUL UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-1 | CAN *UNDISCLOSED* LT-UNK *UNDISCLOSED* LT-1 | CAN UNDISCLOSED BM-1 | CAN UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Some material identifications are withheld and marked as "undisclosed" to protect proprietary information. Percentages (%) provided as ranges to protect proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore IAQ Certified

Multi-attribute: NSF/ANSI 332 Resilient Flooring: Platinum

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2021-01-26

C Yes

VERIFIER:

PUBLISHED DATE: 2021-01-26

No

VERIFICATION #:

EXPIRY DATE: 2024-01-26



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

VIRGIN RAW MATERIALS

%: 57,0000 - 67,0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letter and as predicted by process chemistry (Pharos CML).

HPD URL: https://roppe.com/tuflex-spartus-multipurpose-sports-flooring/

OTHER MATERIAL NOTES: Percentage (%) provided as a range to protect proprietary information.

KAOLIN CLAY ID: 1332-58-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26 %: 30.0000 - 42.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 18.0000 - 30.0000 GS: LT-UNK SUBSTANCE ROLE: Polymer species RC: None NANO: No

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A residual of 6PPD (CASRN 793-24-8) is expected to be present based upon process chemistry via the Pharos Chemical and Materials Library. However, this substance is not included in the content inventory because supplier documentation indicates that 6PPD is not used in the manufacturing process.

NATURAL RUBBER (PRIMARY CASRN IS 9006-04-6)

ID: 9041-64-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 12.0000 - 20.0000 GS: LT-UNK SUBSTANCE ROLE: Polymer species RC: None NANO: No

AGENCY AND LIST TITLES **HAZARD TYPE** WARNINGS

RES MAK Sensitizing Substance Sah - Danger of airway & skin

sensitization

EPOXIDIZED SOYBEAN OIL ID: 8013-07-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 6.0000 - 9.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 4.0000 - 8.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 3.8000 - 4.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	s Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26		
%: 1.8000 - 2.4000	GS: BM-1	:: None NANO: No SUBSTANCE F	ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-ind	uced	
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life		
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life	with long lasting effects	
MUL	German FEA - Substances Hazardous Waters	Class 2 - Hazard to Waters		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

UNDISCLOSED		ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-01-26
%: 1.5000 - 2.0000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SUBSTANCE NOTES: Hazards	as shown above may not represent a signif	icant health risk, as exposure pathways and other factors in risk

	UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-01-26		
	%: 1.4000 - 1.9000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
	HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
	None found			No wa	arnings found on HPD Priority Hazard Lists
П					

assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED		ID: Undisclosed		
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-26		
%: 0.5000 - 2.0000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing regulator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		
SKI EU - GHS (H-Statements)		H315 - Causes skin irritation		
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
REP	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility		
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-01-26			
	%: 0.5000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
	HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
	None found			No wa	arnings found on HPD Priority Hazard Lists
1					

HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	HAZARD SO	CREENING DA	TE: 2021-01-26
%: 0.5000 - 1.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-01-26	
%: 0.5000 - 5.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CAN	US CDC - Occupational Carcinogens	s Occupational Carcinogen			
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure ro			
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 2021-01-26
%: 0.2000 - 0.6000	GS: LT-P1	RC: None NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
END	TEDX - Potential Endocrine Disruptors	Potential Endo	crine Disruptor

assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-01-26			
%: 0.1200 - 0.1800	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing region	ılator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MUL German FEA - Substances Hazardous to Waters		s to Class 2 - Hazard to Waters			

assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk

UNDISCLOSED		ID: Undisclosed
HAZARD SCREENING METHO	DD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-26
%: 0.1000 - 0.5000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MUL	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED				ID: Undisclosed	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-01-26			
%: 0.1000 - 0.5000	GS: BM-1	RC: Nor	e NANO: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
PBT	EC - CEPA DSL		•	naccumulative and inherently Toxic (PBiTE) ment (based on aquatic organisms)	
MUL	German FEA - Substances Hazardous Waters	to	Class 2 - Haza	rd to Waters	

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Ch	nemical and Materials Library	HAZARD SCRE	EENING DATE:	2021-01-26
%: 0.0000 - 5.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

UNDISCLOSED					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAR	D SCR	EENING DATE:	2021-01-26
%: 0.0000 - 10.0000	GS: LT-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
END	TEDX - Potential Endocrine Disruptors	s Potential Endocrine Disruptor			
CAN	MAK				a - Evidence of carcinogenic effects stablish MAK/BAT value
CAN	MAK			ogen Group 4 - nder MAK/BAT I	Non-genotoxic carcinogen with low levels
CAN	EU - GHS (H-Statements)		H351 -	Suspected of	causing cancer

UNDISCLOSED					ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Chemic	al and Materials Library	HAZARD SC	REENING DAT	ΓΕ: 2021-01-26	
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: In	npurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
CAN	GHS - Australia	H350i - May cause cancer by inhalation

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: Impurity/Residual GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: Impurity/Residual

GS: LT-1

RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
CAN	GHS - Australia	H350i - May cause cancer by inhalation

PRE-CONSUMER RECYCLED VULCANIZED RUBBER %: 33.0000 - 43.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letter and as predicted by process chemistry (Pharos CML).

HPD URL: https://roppe.com/tuflex-spartus-multipurpose-sports-flooring/

OTHER MATERIAL NOTES: Percentage (%) provided as a range to protect proprietary information.

KAOLIN CLAY ID: 1332-58-7

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

GS: LT-UNK

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

RC: PreC

NANO: No

SUBSTANCE NOTES: A residual of 6PPD (CASRN 793-24-8) is expected to be present based upon process chemistry via the Pharos Chemical and Materials Library. However, this substance is not included in the content inventory because supplier documentation indicates that 6PPD is not used in the manufacturing process.

%: 24.0000 - 32.0000

SUBSTANCE ROLE: Polymer species

EPOXIDIZED SOYBEAN OIL ID: 8013-07-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 2.0000 - 4.0000 GS: LT-P1 RC: PreC NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26
%: 0.8000 - 1.4000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Plasticizer
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26
%: 0.8000 - 1.4000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26 %: 0.8000 - 1.2000 GS: BM-1 RC: PreC NANO: No SUBSTANCE ROLE: Processing regulator **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced AQU EU - GHS (H-Statements) H400 - Very toxic to aquatic life AQU EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters **END TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-26
%: 0.7000 - 1.3000	GS: LT-P1	RC: PreC NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING I	DATE: 2021-01-26
%: 0.3000 - 0.8000	GS: LT-P1	RC: PreC	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26
%: 0.3000 - 0.8000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

 UNDISCLOSED

 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library
 HAZARD SCREENING DATE: 2021-01-26

 %: 0.2000 - 0.6000
 GS: LT-UNK
 RC: PreC
 NANO: No
 SUBSTANCE ROLE: Antioxidant

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: 0.2000 - 0.6000 GS: LT-P1 RC: PreC NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-26		
%: Impurity/Residual	GS: LT-1	RC: PreC NANO: No SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

%: Impurity/Residual GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-26

UNDISCLOSED

ID: Undisclosed

%: Impurity/Residual	GS: LT-1	RC: PreC	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	V	WARNINGS		
CAN	US CDC - Occupational Carcinogens	C	Occupational Carcinogen		
CAN	CA EPA - Prop 65	C	Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 1 - Agent i occupational sou	is carcinogenic to humans - inhaled from irces	
CAN	US NIH - Report on Carcinogens		Known to be Hur occupational set	nan Carcinogen (respirable size - ting)	
CAN	MAK		Carcinogen Grou nan	p 1 - Substances that cause cancer in	
CAN	GHS - New Zealand	6	3.7A - Known or	presumed human carcinogens	
CAN	GHS - Japan	C	Carcinogenicity -	Category 1A [H350]	
CAN	GHS - Australia	Н	1350i - May caus	se cancer by inhalation	

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-01-26
%: 0.0000 - 5.0000	GS: BM-1	RC: Pre	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	1	WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcino	ogen
CAN	CA EPA - Prop 65		Carcinogen - specific	to chemical form or exposure route
CAN	IARC		Group 2B - Possibly of from occupational so	carcinogenic to humans - inhaled ources
CAN	MAK		Carcinogen Group 3E but not sufficient for o	3 - Evidence of carcinogenic effects classification

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED				ID: Undisclose
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2021-01-26
%: 0.0000 - 6.0000	GS: BM-1	RC: PreC	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CAN	MAK		inogen Group 3E ot sufficient for o	3 - Evidence of carcinogenic effects classification

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAI	RD SCR	EENING DATE:	2021-01-26		
%: 0.0000 - 8.0000	GS: LT-1	RC: Pr	reC	NANO: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	WARNINGS			
CAN	US CDC - Occupational Carcinogens		Occup	ational Carcinogen			
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route					
CAN	IARC	RC			Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor					
CAN	MAK			Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CAN	MAK			Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			
CAN	EU - GHS (H-Statements)		H351	351 - Suspected of causing cancer			



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS RFCI FloorScore IAQ Certified

CERTIFYING PARTY: Third Party ISSUE DATE: EXPIRY DATE: CERTIFIER OR LAB: SCS

APPLICABLE FACILITIES: All 2019-07-01 2020-06-30 Global Services

CERTIFICATE URL:

https://www.scscertified.com/products/cert_pdfs/RoppeCorp_2019_SCS-

FS-02235_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as

MULTI-ATTRIBUTE NSF/ANSI 332 Resilient Flooring: Platinum

CERTIFYING PARTY: Third Party ISSUE DATE: 2016- EXPIRY DATE: **CERTIFIER OR LAB: SCS**

APPLICABLE FACILITIES: AII 2019-09-30 Global Services 09-30

CERTIFICATE URL:

https://www.scscertified.com/products/cert_pdfs/Roppe_2017_SCS-

RF-04162 s.pdf

CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 is a voluntary, multi-attribute standard that evaluates the environmental and social impacts of resilient flooring products. Qualification of certification under this standard requires conformance to criteria including product design, product manufacturing, long-term value, end of life management, corporate governance, and innovation. Tuflex Spartus Multipurpose Sports Flooring products have been certified to the Platinum level of NSF/ANSI 332.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXCELSIOR EW-710 HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

EW-710 is a non-flammable two-part urethane-modified epoxy adhesive used for the permanent, indoor installation of vinyl, rubber and quartz flooring products. EW-710 is low VOC and solvent free. EW-710 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2018 to February 28, 2019, Certificate URL: https://www.scscertified.com/products/cert_pdfs/RHC_2018_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_EW-710_DataSheet.pdf. VOC Content: <12 g/l.

EXCELSIOR MS-700 HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

MS-700 is a premium, one component modified silane adhesive used for the permanent installation of vinyl & rubber flooring products, including recycled or crumb rubber flooring products. MS-700 is free of water, solvents, VOCs and hazardous chemicals, such as those found in urethanes and epoxies. Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_MS-700_DataSheet.pdf. VOC Content: 0 g/l.

EXCELSIOR PF-960 HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PF-960 is a flexible floor finish developed specifically for use over crumb/recycled rubber flooring products, but is compatible with all rubber resilient flooring products. PF-960 is a biodegradable finish developed with advanced polymers that provide excellent durability without creating unsightly buildup. Technical Datasheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_PF-960_DataSheet.pdf. VOC Content: <1%.

Section 5: General Notes

Tuflex Spartus Multipurpose Sports Flooring is Free of PVC, phthalates and halogens. The tiles are also made in the U.S.A. and meet FloorScore® and NSF 332 Gold certification. The Tuflex Spartus Recycled Rubber Tile formulation is screened according to current authoritative lists and does not contain any chemicals contained in the Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list, or substances restricted under REACH. Components designated as "Undisclosed" are kept confidential to protect proprietary information. Hazards as shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

MANUFACTURER INFORMATION

MANUFACTURER: Roppe Corporation ADDRESS: 1602 North Union Street Fostoria Ohio 44830, United States

WEBSITE: https://roppe.com/

CONTACT NAME: Jacob Gentillon

TITLE: Chemist PHONE: 419-435-8546

EMAIL: jkgentillon@roppe.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.